
## CHAPTER 2 Arm-and-Hand Signals for Ground Forces

### 2-1. General

Signals illustrated with a single arrowhead indicate that the signal is not continuously repeated; however, it may be repeated at intervals until acknowledged or the desired action is executed. Signals illustrated with double arrowheads are repeated continuously until acknowledged or the desired action is taken. Signals are illustrated as normally seen by the viewer. Some signals are illustrated in oblique, right angle, or overhead views for clarity.

# 2-2. Signals to Control Vehicle Drivers and/or Crews

These are the arm-and-hand and light signals used to guide and direct vehicles. Flashlights are used at night to direct vehicles. Blue filters should be used whenever possible in order to preserve the driver's night vision. Chemical lights can also be used and have less effect on the driver's night vision (Figures 2-1 through 2-22).



Extend the arm sideways, slightly above the horizontal; palm to the front; wave the arm to and from the head several times.

Figure 2-1. ATTENTION

Extend the arm toward the person being signaled; then raise the arm slightly above horizontal, palm outward.



Figure 2-2. I AM READY, or READY TO MOVE, or ARE YOU READY?

Two or three movements upward with the open hand, palm uppermost.





Figure 2-3. MOUNT

Raise both arms and cross wrists above the head, palms to the front.




Figure 2-4. DISREGARD PREVIOUS COMMAND, or AS YOU WERE.

2-2



Raise both arms sideward to the horizontal; bend both arms at the elbows and place both hands across the face, palms to front.

Figure 2-5. I DO NOT UNDERSTAND.





### DAY

Simulate cranking of engines by moving the arm, with the fist, in a circular motion at waist level.



Move a light to describe a horizontal figure 8 in a vertical plane in front of body.

Figure 2-6. START ENGINE, or PREPARE TO MOVE.





### DAY


## Raise the hand upward to the full extent of the arm, palm to the front. Hold that position until the signal is

NIGHT

Move a light horizontally back and forth several times across the path of approaching traffic to stop vehicles. Use the same signal to stop engines.

NOTE: For alternate signal to stop vehicles, see Figure 2-17.

Figure 2-7. HALT, or STOP.



### DAY

Raise the fist to shoulder level; thrust the fist upward to the full extent of the arm and back to shoulder level (rapidly) several times.

### NIGHT

Move a light vertically several times in front of the body.


Figure 2-8. INCREASE SPEED.

N




Face the direction of movement; hold the arm extended to the rear; swing the arm overhead and forward in the direction of movement (hold at the horizontal), palm down.

Figure 2-9. ADVANCE or MOVE OUT



Extend the arms overhead, palms inward, then slowly lower arms to a horizontal position.

Figure 2-10. OPEN UP.



Extend both arms parallel to the ground, palms uppermost, then move the arms upward and inward toward the head.

Figure 2-11. CLOSE UP






Extend the arm horizontally to side, palm outward.

### NIGHT

Rotate a light to describe a circle 12 to the turn. 18 inches in diameter in the direction of

Figure 2-12. RIGHT or LEFT TURN.





straight. Do not move arm above several times, keeping the arm wave the arm slightly downward sideward, palm to the front; Extend the arm horizontally

### NIGHT

it several times toward the vehicle. Hold a light at shoulder level; blink

Figure 2-13. SLOW DOWN.

2-6



ward, paims toward the ₩ove chest. forearms backward and forthe hands and

### Figure 2-14. MOVE FORWARD






naled, raise the hands to shoulder level, palms to the front. Move the hands forward and backward. Face the vehicle(s) (unit) being sig-

it several times toward vehicle(s). Hold a light at shoulder level; blink NIGHT

Figure 2-15. MOVE IN REVERSE (for stationary vehicles).



vehicle(s) approaches. The vehicle(s) must stop when the palms come together. ward and separated (width of the shoulders). Bring the palms together as the Face the vehicle(s) being signaled, extend the forearms to the front, palms in-

Figure 2-16. CLOSE DISTANCE BETWEEN VEHICLES AND STOP